

Operational Services

Administrative Procedure - Plan for Responding to a Medical Emergency at a Physical Fitness Facility with an AED

The following operations implement School Board policy 4:170, *Safety*, requiring a plan for responding to medical emergencies at a physical fitness facility. These operations shall be completed consistent with the Physical Fitness Facility Medical Emergency Procedures Act, 210 ILCS 74/, and the Ill. Dept. of Public Health (IDPH) Rules, Title 77, Part 527, Physical Fitness Medical Emergency Preparedness Code. Any definitions of terms found in this Act and IDPH implementing rules are used as the definitions of those terms in this procedure. 77 Ill.Admin.Code Part 527.

Actor	Action																		
<p>Superintendent or designee</p>	<p>Appoints a staff member to coordinate the operations in this Procedure who will be known as the <i>Plan Coordinator</i>.</p> <p>Plan Coordinator:</p> <table data-bbox="565 793 1328 856"> <tr> <td>_____</td> <td>Superintendent</td> </tr> <tr> <td>Name</td> <td>Position</td> </tr> </table> <p>Files this plan with the IDPH, Division of EMS & Highway Safety, 500 E. Monroe - 8th Floor, Springfield, IL 62701. Files an updated plan with the IDPH after a change in the facility that affects the ability to comply with a medical emergency, such as the facility was closed for more than 45 days. 77 Ill.Admin.Code §527.400(a) and (c).</p> <p>Dates plan submitted:</p> <table data-bbox="565 1087 1425 1201"> <tr> <td>June 29, 2005</td> <td>_____</td> </tr> <tr> <td>_____</td> <td>_____</td> </tr> <tr> <td>_____</td> <td>_____</td> </tr> </table> <p>Decides, with input from the Plan Coordinator, the schedule for purchasing and maintenance of AEDs. See 210 ILCS 74/50 for compliance date schedule(s).</p> <p>If the AED becomes inoperable, the district must replace or repair it within 10 days. Persons using the facility must be notified if an operable AED is not on the premises. The AED shall be mobile and accessible at all times when the AED is operable. 77 Ill.Admin.Code §527.600.</p> <p>Designates each Building Principal as the individual who must be notified in the event of a medical emergency. 77 Ill.Admin.Code §527.400(a).</p> <table data-bbox="565 1570 1425 1726"> <thead> <tr> <th>Building</th> <th>Office Contact</th> </tr> </thead> <tbody> <tr> <td>Fulton Elementary School</td> <td>Principal</td> </tr> <tr> <td>River Bend Middle School</td> <td>Principal</td> </tr> <tr> <td>Fulton High School</td> <td>Principal</td> </tr> </tbody> </table> <p>Follows the requirements of 77 Ill.Admin.Code §525.500 upon receiving a completed report that an AED was used. Cooperates to provide information that may be necessary for non-transport vehicle (defined at 77 Ill.Admin.Code §515.825) in compliance with 77 Ill.Admin.Code §515.350 (requires documentation of all medical care provided and a report to the</p>	_____	Superintendent	Name	Position	June 29, 2005	_____	_____	_____	_____	_____	Building	Office Contact	Fulton Elementary School	Principal	River Bend Middle School	Principal	Fulton High School	Principal
_____	Superintendent																		
Name	Position																		
June 29, 2005	_____																		
_____	_____																		
_____	_____																		
Building	Office Contact																		
Fulton Elementary School	Principal																		
River Bend Middle School	Principal																		
Fulton High School	Principal																		

Actor	Action																
	EMS System within 24 hours for the EMS System to review) and provides information to IDPH upon request.																
Plan Coordinator	<p>Responsibilities Concerning Emergency Responders</p> <p>With the Building Principal, identifies all staff members who, through their education or training, are appropriate emergency responders for specific facilities. If possible, train all emergency responders in CPR and AED use.</p> <table border="0" data-bbox="560 478 1425 636"> <thead> <tr> <th data-bbox="560 478 1036 514">Facility</th> <th data-bbox="1036 478 1425 514">Emergency Response Providers</th> </tr> </thead> <tbody> <tr> <td data-bbox="560 520 1036 556"><u>Fulton Elementary School</u></td> <td data-bbox="1036 520 1425 556"><u>See attached list</u></td> </tr> <tr> <td data-bbox="560 562 1036 598"><u>River Bend Middle School</u></td> <td data-bbox="1036 562 1425 598"><u>See attached list</u></td> </tr> <tr> <td data-bbox="560 604 1036 636"><u>Fulton High School</u></td> <td data-bbox="1036 604 1425 636"><u>See attached list</u></td> </tr> </tbody> </table> <p>Responsibilities Concerning AED Users</p> <p>Determines the appropriate number of trained AED users and anticipated rescuers or users needed for each facility equipped with an AED. Each facility with an AED must have at least one trained AED user on staff during staffed business hours (210 ILCS 74/15 and 77 Ill.Admin.Code §527.600) and take reasonable measures to ensure that anticipated rescuers or users are trained pursuant to 410 ILCS 4/15 and 77 Ill.Admin.Code §527.800.</p> <p>Working with the Building Principal, identifies trained AED users and requests that other appropriate staff members and anticipated rescuers or users become trained.</p> <table border="0" data-bbox="560 1003 1425 1161"> <thead> <tr> <th data-bbox="560 1003 1036 1039">Facility</th> <th data-bbox="1036 1003 1425 1039">Trained AED Users</th> </tr> </thead> <tbody> <tr> <td data-bbox="560 1045 1036 1081"><u>Fulton Elementary School</u></td> <td data-bbox="1036 1045 1425 1081"><u>See attached list</u></td> </tr> <tr> <td data-bbox="560 1087 1036 1123"><u>River Bend Middle School</u></td> <td data-bbox="1036 1087 1425 1123"><u>See attached list</u></td> </tr> <tr> <td data-bbox="560 1129 1036 1161"><u>Fulton High School</u></td> <td data-bbox="1036 1129 1425 1161"><u>See attached list</u></td> </tr> </tbody> </table> <p>Responsibilities Concerning AED Registration</p> <p>Coordinates with local emergency medical services systems. 77 Ill.Admin.Code §527.500.</p> <p>Notifies an agent of the local emergency communications or vehicle dispatch center of the existence, location, and type of the automated external defibrillator. 410 ILCS 4/20(b) and 77 Ill.Admin.Code §527.500.</p> <p>Cooperates and provides any information requested by the local emergency communications or vehicle dispatch, so they can complete the Data Collection and Submission report about the use of the AED (77 Ill.Admin.Code §515.350). 77 Ill.Admin.Code §525.500.</p> <p>Responsibilities Concerning Location of AED and Other First Aid Equipment</p> <p>Indoor Facility - Decides, with input from the Building Principal or designee, where to place the AED and other first aid equipment so that their location will be conspicuous, easily accessible, and convenient; the AED must be mobile and accessible at all times. 77 Ill.Admin.Code §527.600.</p> <p>Outdoor Facility - Ensures that the AED is placed within 300 feet of the outdoor facility in an open building with unimpeded access that has marked directions to the location of the AED at its entrances. 210 ILCS</p>	Facility	Emergency Response Providers	<u>Fulton Elementary School</u>	<u>See attached list</u>	<u>River Bend Middle School</u>	<u>See attached list</u>	<u>Fulton High School</u>	<u>See attached list</u>	Facility	Trained AED Users	<u>Fulton Elementary School</u>	<u>See attached list</u>	<u>River Bend Middle School</u>	<u>See attached list</u>	<u>Fulton High School</u>	<u>See attached list</u>
Facility	Emergency Response Providers																
<u>Fulton Elementary School</u>	<u>See attached list</u>																
<u>River Bend Middle School</u>	<u>See attached list</u>																
<u>Fulton High School</u>	<u>See attached list</u>																
Facility	Trained AED Users																
<u>Fulton Elementary School</u>	<u>See attached list</u>																
<u>River Bend Middle School</u>	<u>See attached list</u>																
<u>Fulton High School</u>	<u>See attached list</u>																

Actor	Action								
	<p>74/15 and 77 Ill.Admin.Code §527.600(c).</p> <table border="0" style="width: 100%;"> <tr> <td style="width: 50%; text-align: center;">Facility</td> <td style="width: 50%; text-align: center;">First Aid & AED Location</td> </tr> <tr> <td style="text-align: center;"><u>Fulton Elementary School</u></td> <td style="text-align: center;"><u>Outside office doors</u></td> </tr> <tr> <td style="text-align: center;"><u>River Bend Middle School</u></td> <td style="text-align: center;"><u>On wall in front of office between gym doors</u></td> </tr> <tr> <td style="text-align: center;"><u>Fulton High School</u></td> <td style="text-align: center;"><u>Commons by E. door to FB field</u></td> </tr> </table> <p>Keeps a copy of the AED’s manual with the AED. 77 Ill.Admin.Code §527.700(b).</p> <p>Responsibilities Concerning Notification and Posting Along with the Building Principal, notifies all staff members of the location of any AEDs as well as the instructions for responding to medical emergencies. 77 Ill.Admin.Code §527.800(b).</p> <p>Responsibilities Concerning Training Coordinates, with input from the Building Principal, the training of: (1) all staff members who regularly supervise students in physical fitness facilities in the use of CPR and, if appropriate, AEDs, and (2) any non-employee coaches, instructors or other similarly situated anticipated rescuers or users. 77 Ill.Admin.Code §527.800 and 210 ILCS 74/15(b-5) and (b-10).</p> <p>Responsibilities Concerning Instructions for Responding to Medical Emergencies Along with the Building Principal, notifies all facility staff of the location of any AEDs and the <i>Step-by-Step Emergency Response Plan</i> described below. 77 Ill.Admin.Code §527.800(b). Coordinates, along with the Building Principal, the posting of the <i>Step-by-Step Emergency Response Plan</i> described below. 77 Ill.Admin.Code §527.800(b).</p> <p>Responsibilities Concerning Maintenance and Testing of AEDs Ensures that all AEDs are maintained and tested according to manufacturer’s guidelines. 77 Ill.Admin.Code §527.700(a). Keeps a copy of the maintenance and testing manual at the facility and keeps a copy of the manual with each AED. 77 Ill.Admin.Code §527.700(b).</p>	Facility	First Aid & AED Location	<u>Fulton Elementary School</u>	<u>Outside office doors</u>	<u>River Bend Middle School</u>	<u>On wall in front of office between gym doors</u>	<u>Fulton High School</u>	<u>Commons by E. door to FB field</u>
Facility	First Aid & AED Location								
<u>Fulton Elementary School</u>	<u>Outside office doors</u>								
<u>River Bend Middle School</u>	<u>On wall in front of office between gym doors</u>								
<u>Fulton High School</u>	<u>Commons by E. door to FB field</u>								
Building Principal	<p>In a conspicuous place in the physical fitness facility, posts: (1) the list of all staff members who are emergency responders, and (2) the <i>Step-by-Step Emergency Response Plan</i> described below. 77 Ill.Admin.Code §527.400(a). Posts a notice at the facility’s main entrance stating that an AED is located on the premises. Receives notice in the event of a medical emergency. 77 Ill.Admin.Code §527.400(a).</p>								
School Nurse(s)	<p>Along with the Plan Coordinator, helps staff members understand the instructions for responding to medical emergencies.</p> <p style="padding-left: 40px;">These instructions must provide that the AED should be operated only by trained AED users, unless the circumstances do not allow time to be spent waiting for a trained AED user to arrive. 77 Ill.Admin.Code §527.800(c).</p>								
Trained AED User(s) and/or	<p>According to their training, uses appropriate emergency responses upon the occurrence of any sudden, serious, and unexpected sickness or injury that</p>								

Actor	Action
Other Emergency Responder(s)	<p>would lead a reasonable person, possessing an average knowledge of medicine and health, to believe that the sick or injured person required urgent or unscheduled medical care. 77 Ill.Admin.Code §527.400(a).</p> <p>According to their training, uses the AED to help restore a normal heart rhythm. 77 Ill.Admin.Code §527.400(a).</p> <p>Calls 911 for medical emergencies and whenever an AED is used. 77 Ill.Admin.Code §527.400(b).</p> <p>Informs the Building Principal whenever the AED or other emergency response is used. 77 Ill.Admin.Code §527.400(b).</p> <p>Whenever an AED is used, cooperates and provides any information requested by the local emergency communications or vehicle dispatch, so they can complete a Data Collection and Submission report about the use of the AED (77 Ill.Admin.Code §515.350). 77 Ill.Admin.Code §525.500.</p>
All Facility Staff Members and Users	<p>Follow the <i>Step-by-Step Emergency Response Plan</i> described below:</p> <ol style="list-style-type: none"> 1. Immediately notify the building’s emergency responder(s) whose contact information is posted in the facility. Under life and death circumstances call 911 without delay. 2. Bring the first aid equipment and AED to the emergency scene. The AED should be operated only by trained AED users for the intended purpose of the AED, unless the circumstances do not allow time for a trained AED user to arrive. 3. Immediately inform the Building Principal or designee of the emergency. 4. The emergency responder will take charge of the emergency. This person will apply first aid, CPR, and/or the AED, as appropriate. 5. If necessary, the emergency responder instructs someone to call 911, providing the location in the building and which entrance to use. This person should make sure someone is sent to open the door for paramedics and guide them to the scene. 6. When paramedics arrive and assume care of the victim, the emergency responder or other staff person notifies the victim’s parent/guardian or relative. 7. If an AED was used, the person using it cooperates and provides any information requested by the local emergency communications or vehicle dispatch, so they can complete the Data Collection and Submission report about the use of the AED. If appropriate, a supervising staff member completes an accident report. 8. If an adult refuses treatment, the emergency responder documents the refusal and, if possible, asks the adult to sign a statement stating that he or she refused treatment.